



Cryo*Mini*

Zimmer

CryoMini



CryoMini

- Cold Air Skin Cooling -
- Standby mode - permits instant user operation
 - Immediate cooling available for patient treatment
 - 9 different fan speeds ensure optimum air- flow selection

Enhanced patient comfort
Cost efficient – no consumables
Compact – small x-base
Lightweight – easily transportable

The CryoMini cold air system has been created to meet the needs of aesthetic procedures with shorter durations.

-10°C

The Skin Cooling System for Laser and IPL Treatments



Versatility

A major advantage of the *CryoMini's* non-contact skin cooling is that skin can be cooled before, during and after most treatments, without interfering with the laser application or requiring additional preparation time.

Patient Satisfaction

Simultaneous application of cold air in conjunction with laser and IPL treatments leads to a distinct reduction in pain and may reduce thermal tissue damage. Various studies have indicated that longer treatment sessions may be possible due to increased patient comfort. Additionally, cold air has been favored as a successful method for providing local anaesthesia prior to injections.

Easy Operation

The large display ensures ease of operations. One button start up. Nine fan speeds available to accommodate patient's requirements.

Treatment time adjusted by pressing one button.

Quick and Efficient Application

The cold air can be more selectively directed onto localized treatment areas by utilizing the laser handpiece adapter. An optional support arm is available to gently hold and guide the air tube to provide the operator with hands-free operation. *CryoMini* requires only ambient air, which is filtered and chilled to -10°C . There are no consumables or additional costs. The customized plexiglass plate provides a compact location for various accessories, IPL laser systems, or smoke evacuator.



Technical Data

Power supply versions	230-240 V / 50-60 Hz 120 V / 50-60 Hz
Power input max.	1000 VA
Stand-by function	100 W
Protection according to IEC 601-1	Class I, Type B
MDD / MPG	Class IIa
Treatment tube length	180 cm
Housing dimensions	H 650 mm / W 335 mm / L 600 mm
Weight	35,5 kg
Air flow	9 levels, ~ 1300 l / min

Options



Articulating arm



Adapter & Clips



Treatment hose

Zimmer MedizinSysteme GmbH
 Junkersstraße 9
 D-89231 Neu-Ulm, Germany
 Tel. +49 7 31. 97 61-291
 Fax +49 7 31. 97 61-299
 export@zimmer.de
 www.zimmer-aesthetics.com